## WHAT IS CLAIMED IS

5

10

20

25

5hOl	L. A	design	dat	a proc	essin	g metho	od of	<u>:</u>
processing	hiera	archica	.lly	config	ured	design	data	ι,
comprising	the s	steps o	f.					

- a) obtaining first design data of a predetermined rank of hierarchy;
  - b) obtaining second design data of a rank of hierarchy higher than the predetermined rank of hierarchy; and
- c) combining the second design data to the 15 first design data.
  - 2. A design data processing method of processing design data configured of a plurality of blocks, comprising the steps of:
    - a) obtaining first design data of a block of the plurality of block of a predetermined rank of hierarchy;
    - b) obtaining second design data of a rank of hierarchy lower than the predetermined rank of hierarchy; and
- c) displaying a peripheral portion of the 30 block of the second design data, and setting the peripheral portion to a wiring inhibition region.

35

3. A design data processing method of processing design data of wiring, comprising the

step of producing the design data such that a metal density of the wiring is not more than a predetermined value, said step comprising the step of using design data in which a wire is previously split into a plurality of wires so that the metal density is not more than the predetermined value.

10

15

20

25

35

5

- 4. A design data processing method of processing design data in which a layout is made as a result of blocks are combined, comprising the following steps of:
- a) referring to a block layout of a predetermined block of a rank of hierarchy lower than a rank of hierarchy including said predetermined block;
- b) detecting a region in which no block is disposed yet from the block layout of the lower rank referred to in the step a); and
- c) setting the not-yet-disposed region detected in the step b) to such a region that another block can be disposed there.
- 5. A computer readable recording medium storing a software program for processing hierarchically configured design data and causing a computer to execute the following steps of:
  - a) obtaining first design data of a predetermined rank of hierarchy;
  - b) obtaining second design data of a rank of hierarchy higher than the predetermined rank of

shor shot

The state of the s

10

hierarchy; and

c) combining the second design data to the first design data.

- 6. A computer readable recording medium storing a software program for processing design data configured of a plurality of blocks and causing a computer to execute the following steps of:
- a) obtaining first design data of a block of the plurality of block of a predetermined rank of hierarchy;
- b) obtaining second design data of a rank of hierarchy lower than the predetermined rank of hierarchy; and
- c) displaying a peripheral portion of the block of the second design data, and setting the
  peripheral portion to a wiring inhibition region.
- 7. A computer readable recording medium storing a software program for processing design data of wiring and causing a computer to execute the step of producing the design data such that a metal density of the wiring is not more than a predetermined value, said step comprising the step of using design data in which a wire is previously split into a plurality of wires so that the metal density is not more than the predetermined value.

35

- 8. A computer readable recording medium storing a software program for processing design data in which a layout is made as a result of blocks are combined and causing a computer to execute the following steps of:
- a) referring to a block layout of a predetermined block of a rank of hierarchy lower than a rank of hierarchy including said predetermined block;
- b) detecting a region in which no block is disposed yet from the block layout of the lower rank referred to in the step a); and
  - c) setting the not-yet-disposed region detected in the step b) to such a region that another block can be disposed there.



15

5